

Energy Imbalance Market Overview for WAPA DSW

November 12, 2019

Presenters:

Don Fuller, Strategic Alliances
Heidi Holmberg Carder, Customer Readiness
Jamil Daouk, System Integration

ISO EIM Agenda

Part 1 – General Briefing

- Foundational Concepts
- Market Efficiencies
- Governance Structure
- Stakeholder Process
- Extended Day-Ahead Market

Part 2 – EIM Training Concepts

- EIM Readiness
- EIM Resources: Participating vs. Non-Participating
- EIM Market Timing
- Resource Plans
- EIM Tools


Part 3 – Reference

Information




The Western Energy Imbalance Market

- Automated dispatch minimizes cost, facilitates renewables, resolves imbalance, avoids congestion
- Situational awareness enhances reliability
- Harmonizes with bilateral trading and regional reserve sharing groups
- Preserves Balancing Authority Area (BAA) autonomy, including compliance, balancing and reserve obligations
- Benefits from EIM operation total \$801 million through Q3 2019 https://www.westerneim.com/pages/default.aspx





Market efficiencies depend on robust transmission



Path	Estimated Max Capacity (MW)
Path 24 (west to east)	100
Path 24 (east to west)	35.90
Eldorado	797
Path 35 (west to east)	580
Path 35 (east to west)	538
Gonder-Pavant	130
PACW to PGE	320
Path 66 (ISO to PGE)	627
Path 66 (PGE to ISO)	296
Path 66 (ISO to PACW)	331
Path 66 (PACW to ISO)	432
Path 17	0-4001 2
PSE to PACW	300
Eldorado 500-Moenkopi	732
Palo Verde, N. Gila	3,151
Path 78 (PACE to APS)	625
Path 78 (APS to PACE)	660
Navajo-Crystal	522
Mead 500	349
Mead 230 (APS <-> ISO)	236
Mead 230 (ISO to NVE)	3,443
Mead 230 (NVE to ISO)	3,476
IPCO to PACW (Path 75)	1,500
PACW to IPCO (Path 75)	400-510
PACE to IPCO	2,557
IPCO to PACE	1,550
NVE to IPCO	262
IPCO to NVE	390-478
Powerex <-> PSE	150
Powerex <-> ISO	150

Is an optional path available for IACEJACW EIM transfers and the capacity is a subset of BACEJPCO/IPCOJACE and Path 75 capacity.

Current as of October 2019



When in use, the available capacity on RACE-PCO/IPCO-PACE and Path 75 will be subsequently reduced by the used amount on Path 17, and not double counted.

Western EIM governance structure

EIM Governing Body (GB)

- 5 independent, non-stakeholder members
- Delegated authority over EIM-related market rules
- Selected by stakeholder nominating committee, confirmed by EIM Governing Body
- Provides western entities a decision-making voice

EIM Body of State Regulators (BOSR)

- Advises the EIM Governing Body and ISO Board of Governors on matters of interest
- Currently eight state officials from EIM states
- Provides a state regulatory perspective

Regional Issues Forum (RIF)

- Public vehicle for discussion of EIM-related issues, including impacts to neighboring balancing authority areas
- Organized by ten self-selected sector liaisons
- May produce opinions for EIM governing body or ISO Board of Governors



Stakeholder input is essential to ISO planning, processes and enhancements



http://www.caiso.com/informed/Pages/StakeholderProcesses/Default.aspx

Broad market enhancements

EIM enhancements

Process and tool enhancement implementation

Updates are made based greatly upon the input of our customers



EIM provides a low-cost, low-risk option that balances load and resources automatically and economically in the real-time market





- ISO optimizes energy transfer and generation output between all EIM participants in multiple increments
- Single optimization across EIM footprint improves quality and helps overall system reliability
- Currently applies to real-time market only, but a new initiative proposed to extend EIM to day-ahead

Extended Day-Ahead Market (EDAM)

- Extend EIM to include DA market
- Same foundational concepts as EIM:
 - BAA autonomy
 - Voluntary entry
 - No exit fees
- EIM will be maintained as a stand-alone service

Follow this initiative under the Stay Informed tab of the ISO website at:

http://www.caiso.com/informed/Pages/StakeholderPr
ocesses/ExtendedDay-AheadMarket.aspx

- Stakeholder process initiated in October 2019, running through early 2021
- Major topics
 - Transmission availability and pricing
 - Resource sufficiency
 - Greenhouse gas
 - Governance




Onboarding & Training

EIM READINESS



EIM Onboarding Tracks





ISO provides robust initial and ongoing EIM training programs to ensure readiness

Level 100

- Computer Based Training (CBT) Fundamental Concepts
- Settlements 101 Instructor Led Training

Level 200

- Computer Based Training (CBT) Advanced Concepts
- Settlements 201 Instructor Led Training


Level 300

- Train-the-Trainer Course
- Instructor Led Scenario Training



Training is based on rules, regulations, processes and best practices

Reliability and safety requirements



Step-by-step instructions & best practices



Federal and Regulatory Standards



ISO Tariff and
Business Practice
Manuals

Operating Procedures

Knowledge Articles



Participating vs. Non-Participating

EIM RESOURCES



Who is participating and what does that mean?

Participating Resource

A resource that submits bids that allow the EIM market to dispatch or not dispatch the resource in real-time

Non-Participating Resource


A resource that intends to operate in the BA but **does not** allow the EIM market to dispatch or not dispatch the resource in real-time

Bidding makes resources available to resolve energy imbalances

Submits base schedules to ensure BA balancing calculations are accurate



The ISO settles with scheduling coordinators who allocate payments and charges to their customers



EIM Entities allocate the cost based upon their Open Access Transmission Tariff (OATT)



How are base schedules settled?

Participating Resource

 The Market Operator will settle the deviations from base schedules for participating resources at the locational marginal price at the corresponding locations.

Non-Participating Resource

The EIM Entity Scheduling
 Coordinator will be
 responsible for the
 settlement of deviations from
 base schedules for these
 resources.

Charge codes allow for greater granularity in the breakdown of charges and payments for greater transparency.

Visit the ISO Settlements page for more information, including the Charge Code Matrix http://www.caiso.com/market/Pages/Settlements/Default.aspx




Real-Time Market

EIM MARKET TIMING



The ISO Markets – Where does EIM fit?





Real-time markets do the following:

Procure "balancing"
energy to meet the
forecasted real-time grid
energy demand



Send dispatch signals to resources to move up or down to meet current system conditions



Maintain the security of the system (no normal or postcontingency overload)



Protect operating reserves that the market is aware of



The ISO market looks at resource future targets





The real-time market allows for operators to look ahead at resource usage and commitments

Real-time Outputs: Resource Instructions

75 minutes before each trade hour

Bids and hourly base schedules submitted

Intertie transactions that are hourly:

- Submitted by EIM entity
- Critical to be accurate used as baseline



For each fifteen minute interval we are:

- Starting-up or shutting down resources
- Transitioning multi-stage generators
- STUC has longer time horizon

For each five minute interval we are:

- Issuing real-time dispatch instructions
- No start-ups/shut downs/transitions





Hourly process for real-time market leading up to operating hour (EIM components)

(T- = start of the hour)T-75: Base schedules and energy bids due (Resources) T-55: Updated base schedules are submitted if necessary (Resources) T-40: Updated base schedules are submitted if necessary (Entity SC) 01:45 **EIM Market** 02:05 T-20: E-tagging deadline participants (Entity SC) 02:20 02:40 (RTPD6) RTPD7 RTPD5 3:00 02:23 02:37.5 Hour 02:08 endina 15-minute scheduled awards published Start of 15 minute market 01:48 Results of all base tests published Market operator Results of all base tests published



Balancing, Inputs and Outputs, and Resource Sufficiency


EIM ROLES AND RESPONSIBILITIES



The BAA's Reliability Responsibilities

To ensure frequency is maintained throughout the interconnection it is the responsibility of the balancing authority to ensure the balancing authority area does not exceed the Balancing Authority ACE Limit (BAAL) for more than 30 consecutive minutes.

NERC reliability standard BAL-001-2





What are some of the EIM roles and their functions?






Inputs and outputs of the real-time market

From day-ahead:

- System info
- Energy schedules
- Reserves awards
- Master file

From real-time:

- State estimator
 - Energy Bids
- Base schedules
 - Outages
 - Transmission limits






The BAA's resource plan ensures the balance, feasibility and flexibility of your base schedules and bids for prior to each operating hour

- Base schedules
 - Include hourly forecasts of load, hourly generation schedules and hourly interchange schedules.
 - Used as the baseline for financial settlements
- Bids

 Indicators of willingness to buy/supply energy and capacity into the energy market





Load forecasts help determine the base schedule

- Demand forecast is used to determine the amount of supply that will be needed.
- The ISO forecasts demand on an hourly basis for the next 3 days.
- For load and renewable resources,
 EIM entities can choose to use:




ISO Forecast

or

EIM Entity Forecast



Evaluations are conducted to ensure adequate resource are available to meet forecasted needs





Every hour, EIM entities demonstrate they have adequate capacity to balance load and manage contingencies in their own BAA

4 tests run 3 times per hour:

- Balancing ensures each BAA has the capability of balancing their area for each operating hour to avoid leaning on neighbors
- Bid capacity ensures a flexible bid range, both up and down on participating resources
- Flexible ramp is an aggregation of all resources to meet the slope of the load curve
- Feasibility ensures your base schedule would not overload a line




Situational Awareness and Troubleshooting

EIM TOOLS OVERVIEW



The ISO provides a network of applications that provide situational awareness



- BAAOP is an example of one of the many applications the ISO makes available to its market participants.
- This user interface provides the link between the market and EMS for EIM real-time market operators.
- Integrated system information aids critical thinking and effective decision making




ISO Markets and Training Reference

WHERE CAN YOU FIND MORE?




Visit the ISO website for information and resources



www.caiso.com




Find helpful EIM resources on the Western EIM website



https://www.westerneim.com/pages/default.aspx



Visit our Learning Center to find online resources and comprehensive training programs



http://www.caiso.com/participate/Pages/LearningCenter/default.aspx



you today!


Open Access Same-time Information System (OASIS) provides public access to a variety of transmission system data





Today's Outlook provides users with a broad view of supply and demand conditions impacting the ISO

Available for download on your phone!





Business Practice Manuals (BPMs) provide detailed rules, procedures and examples

 Market participants are encouraged to participate in our Proposed Revision Request (PRR) process




 Visit the ISO calendar to find monthly meeting dates to discuss PRRs

http://www.caiso.com/rules/Pages/BusinessPracticeManuals/Default.aspx



Sign up for the Daily Briefing to get a once-a-day summary email of what is happening at the ISO







For more detailed information on anything presented, please visit our website at:

www.caiso.com

Or send an email to: CustomerTraining@caiso.com

